


MODULAR OUTDOOR DOWN DISCHARGE ELECTRIC HEATER PACKAGED UNIT WITH COOLING, MIXING BOX AND INTAKE HOOD


11HBSHACDP-HRU
REV#9 06/15/2015



CONDENSER INFORMATION

MODEL	WEIGHT*	#1 TONNAGE	#2 TONNAGE	CC	DD	EE
2 TON-G10	119 LBS	2 TON	N/A	26-5/16	56-1/16	52-3/8
3 TON-G10	134 LBS	3 TON	N/A	33-5/16	63-1/16	59-3/8
5 TON-G10	253 LBS	2 TON	3 TON	33-5/16	63-1/16	59-3/8
5 TON-G10	302 LBS	2.5 TON	2.5 TON	32-13/16	62-9/16	58-7/8
7.5 TON-G15	197 LBS	5 TON	N/A	32-13/16	69-9/16	65-7/8
8 TON-G15	331 LBS	3 TON	5 TON	33-5/16	71-1/16	68
10 TON-G15	394 LBS	5 TON	5 TON	32-13/16	69-9/16	65-7/8
10 TON-G18	394 LBS	5 TON	5 TON	32-13/16	76-3/16	70-7/8
10 TON-G20	394 LBS	5 TON	5 TON	32-13/16	97-3/16	91-15/16

R410A REFRIGERANT



ALL DIMENSIONS ARE NOMINAL AND GIVEN IN INCHES.

UNIT DIMENSIONS

MODEL	WEIGHT	A	B	C	D	E	F	J	K	L	M	N	P	R	S	T	U	V	W	X
E1-G10	1140 LBS	177-1/4	39-3/8	42-3/4	39	3-3/4	44-3/8	21	71	131-5/8	163-1/16	3-9/16	13-7/8	1-13/16	11-1/2	14	8	14	12-1/2	18
E2-G15	1565 LBS	191-1/4	49-3/8	47-3/4	44	3-3/4	53-5/8	31	79	145-5/8	182-1/16	4-5/16	22-3/8	1-9/16	18	22-3/4	8	11	7-1/2	24
E3-G18	1300 LBS	196-1/4	54-3/8	56-3/8	51-1/8	5-1/4	51-5/8	35	84	150-5/8	190-1/16	6-5/16	22-3/8	1-1/2	18	28	8	7	4-1/2	30
E4-920	3100 LBS	257-1/2	60-7/16	64-3/8	59-1/8	5-1/4	76-3/8	42	115-3/16	199-7/8	247-13/16	5-1/4	31-1/2	1-13/16	23-1/2	33	10	11	8	36

UNIT INFORMATION:

MODEL	TONNAGE RANGE		FILTER SIZE & QTY	MAX. FILTER VELOCITY
	MIN	MAX		
E1-G10	2 Ton	5 Ton	16"x20"x2" (3)	@3600 CFM = 686 FPM
E2-G15	5 Ton	10 Ton	20"x25"x2" (3)	@6500 CFM = 754 FPM
E3-G18	10 Ton	10 Ton	16"x20"x2" (6)	@8000 CFM = 762 FPM
E4-920	10 Ton	10 Ton	16"x20"x2" (10)	@13000 CFM = 743 FPM

OPTIONAL MIXING BOX FILTERS

FILTER SIZE & QTY
10"x16"x2" (5)
20"x25"x2" (2), 16"x25"x2" (1)
15"x20"x2" (4), 15"x15"x2" (2)
18"x25"x2" (4), 16"x20"x2" (2)

MAX. ROOF OPENING 2' SMALLER THAN CURB OUTSIDE DIMENSION

48 IN CLEARANCE REQUIRED ABOVE CONDENSERS

20 IN HIGH EQUIPMENT CURB

OPTIONAL FILTERS

20 IN HIGH EQUIPMENT CURB & RAIL

COMBINATION USED IN UNITS WITH 20" BLOWER