


MODEL #	AD	AE	AF	*****
DU24FA	14-1/2	22	19	
DU30FA	18-1/2	27-1/4	21	
DU33FA	21-1/2	30-1/4	21	
DU36FA	23	33-3/4	24-3/4	
DU39FA	23-1/2	39-3/8	28	
DU42FA	29-1/2	38-7/8	28	
DU45FA	30-5/8	43-3/8	33	
DU48FA	33-1/2	52-3/4	40	



ALL DIMENSIONS ARE NOMINAL AND GIVEN IN INCHES.

MAX. ROOF OPENING 2" SMALLER THAN CURB OUTSIDE DIMENSION

MODEL	WEIGHT (LBS)	UNIT DIMENSIONS													MIXING BOX OPENING													DOWN DISCHARGE OPENING						GAS CONNECTION	
		A	B	BB	C	CC	D	E	F	G	H	J	K	JJ	LL	M	MM	N	P	R	S	U	V	W	X	Y	Z	# OF	# OF						
3-1BT-400-G18	2337	231-7/8	57-3/4	54-3/8	57-1/16	56-3/8	51-13/16	5-1/4	51-5/8	80-3/4	50-1/8	84	25	133	151-3/16	153-7/16	123-9/16	124-7/8	28	8	7	4-1/2	30	6-3/4	26-1/2	4-1/8	26-1/2	1	1	1					
3-1BT-600-300-G18	2333	231-7/8	57-3/4	54-3/8	57-1/16	56-3/8	51-13/16	5-1/4	51-5/8	80-3/4	50-1/8	84	25	133	151-3/16	153-7/16	123-9/16	124-7/8	28	8	7	4-1/2	30	6-3/4	26-1/2	4-1/8	26-1/2	1	1	1					
3-1BT-800-400-400-G18	2393	231-7/8	57-3/4	54-3/8	57-1/16	56-3/8	51-13/16	5-1/4	51-5/8	80-3/4	50-1/8	84	25	133	151-3/16	153-7/16	123-9/16	124-7/8	28	8	7	4-1/2	30	6-3/4	26-1/2	4-1/8	26-1/2	1	1	2					

MODEL	BTU RANGE (GHR)***	TURNDOWN	COMBUSTION EFFICIENCY***	GAS PRESSURE***			
3-1BT-400-G18	400	53.3	360	6	80.0%	7" VC	14" VC
3-1BT-600-300-G18	600	40	480	12	80.0%	7" VC	14" VC
3-1BT-800-400-400-G18	800	53.3	640	12	80.0%	7" VC	14" VC

MODEL	WEIGHT #1	WEIGHT #2	WEIGHT #3	CC	DD	EE
15-TON-G181591	5	5	5	32-13/16	76-3/16	70-7/8
15-TON-9201591	5	5	5	32-13/16	97-3/16	91-15/16

MODEL	WEIGHT #1	WEIGHT #2	WEIGHT #3
G18	15"x20"x2" (4)	15"x15"x2" (2)	

*** ADD CONDENSING UNIT WEIGHT TO WEIGHT IN TABLE ABOVE

** ALL MODELS ARE FULLY ELECTRONICALLY MODULATING

*** COMBUSTION EFFICIENCY OF EVERY UNIT IS 80.0% OVER THE ENTIRE GAS FIRING RANGE.

**** GAS PRESSURES IN TABLE ARE FOR NATURAL GAS, LP MINIMUM GAS INLET PRESSURE = 11" W.C.

***** 9 INCH HIGH EXHAUST ADAPTER MAY BE REQUIRED