



MODULAR OUTDOOR SIDE DISCHARGE ELECTRIC HEATER PACKAGED UNIT WITH COOLING, EVAPORATIVE COOLER INTAKE, V-BANK AND SCREEN INTAKE

SIVBCE35AHC-RPU
REV#3 06/15/2015


1" NPT CONNECTION
FOR SS PITCHED
DRAIN PAN



CONDENSER INFORMATION

MODEL	WEIGHT*	#1 TONNAGE	#2 TONNAGE	CC	DD	EE
2 TON-G10	119 LBS	2 TON	N/A	26-5/16	56-1/16	52-3/8
3 TON-G10	134 LBS	3 TON	N/A	33-5/16	63-1/16	59-3/8
5 TON-G10	253 LBS	2 TON	3 TON	33-5/16	63-1/16	59-3/8
5 TON-G10	302 LBS	2.5 TON	2.5 TON	32-13/16	62-9/16	58-7/8
5 TON-G15	197 LBS	5 TON	N/A	32-13/16	69-9/16	65-7/8
7.5 TON-G15	348 LBS	2.5 TON	5 TON	32-13/16	69-9/16	65-7/8
8 TON-G15	331 LBS	3 TON	5 TON	33-5/16	71-1/16	68
10 TON-G18	394 LBS	5 TON	5 TON	32-13/16	69-9/16	65-7/8
10 TON-G18	394 LBS	5 TON	5 TON	32-13/16	76-3/16	70-7/8
10 TON-G20	394 LBS	5 TON	5 TON	32-13/16	97-3/16	91-15/16

R410A REFRIGERANT



ALL DIMENSIONS ARE NOMINAL AND GIVEN IN INCHES.

MAX. ROOF OPENING 2" SMALLER THAN CURB OUTSIDE DIMENSION

20 IN HIGH EQUIPMENT CURB

20 IN HIGH CURB/RAIL COMBINATION USED ON UNITS WITH 20" BLOWERS

UNIT INFORMATION

MODEL	TONNAGE RANGE		STANDARD EVAPORATIVE COOLING UNIT												CELDK EVAPORATIVE COOLING UNIT											
	MIN	MAX	TOT. WEIGHT	MEDIA SIZE & QTY	VEL. @ MAX CFM	NOZZLES	MAX. FLOW RATE	TOT. WEIGHT	MEDIA SIZE & QTY	VEL. @ MAX CFM	NOZZLES	MAX. FLOW RATE	TOT. WEIGHT	MEDIA SIZE & QTY	VEL. @ MAX CFM	NOZZLES	MAX. FLOW RATE									
E1-G10	2 Ton	5 Ton	1110 LBS	20"x25"x2" (3)	406 FPM	6	3 GPH	1115 LBS	20"x24"x12"	1050 FPM	12	3.9 GPH	1115 LBS	20"x24"x12"	1050 FPM	12	3.9 GPH									
E2-G15	5 Ton	10 Ton	1520 LBS	16"x20"x2" (8)	429 FPM	10	5 GPH	1515 LBS	25"x32"x12"	1080 FPM	20	6.5 GPH	1515 LBS	25"x32"x12"	1080 FPM	20	6.5 GPH									
E3-G18	10 Ton	10 Ton	1845 LBS	20"x20"x2" (8)	348 FPM	14	7 GPH	1835 LBS	30"x36"x12"	1067 FPM	28	8.4 GPH	1835 LBS	30"x36"x12"	1067 FPM	28	8.4 GPH									
E4-920	10 Ton	10 Ton	2890 LBS	16"x20"x2" (15)	572 FPM	24	12 GPH	2860 LBS	38"x43"x12"	1322 FPM	35	10.15 GPH	2890 LBS	16"x20"x2" (15)	572 FPM	24	12 GPH									

MAX. FILTER VELOCITY @13000 CFM = 495 FPM